

FABRICS GROUP 1




FABRIC "T"




T - RECYCLED POLYESTER® NON METALLIC DYESTUFFS


GROUP
1




68 T68




11 T91




60 T60



89 T89




14 T81




02 T70




87 T87




85 T85




05 T64




06 T84



86 T86



09 T82



4A322 T83



YB327 T90



MENTIONED FINISHES WILL BE REMOVE FROM OUR PRICE LIST ONCE THEY BE OUT OF STOCK.






TECHNICAL SPECIFICATIONS FABRIC "T"

Material	Recycled Polyester® Non metallic dyestuffs	100%
Weight	lin. metre aprox. grams	496
Width	cm	170
Abrasion resistance	rubs - EN ISO 12947-1/4 (Martindale)	100.000
Colour fastness to light	scale 1-8, max. 8 - EN ISO 105 - B02	4
Colour fastness to rubbing	scale 1-5, max. 5 - EN ISO 105X12 (wet/dry)	4 / 4
Cleaning	Stain-resistant Vacuum regulary. Wipe clean with damp cloth or shampoo using proprietary upholstery shampoo.	

Flammability BS EN 1021 - 1 & 2 (Cigarette & Match) - BS 7176:2007 Low Hazard BS 476 Part 7 Class 1
Will also pass other flammability standards.
Flame retardant performance is dependent upon the foam used and fireproof treatment.

Subject to changes and colour diferences



ACTIU reserves the right to make technical modifications along with changes to measurements and finishes as it deems fit. It is recommended that you verify any material before making an order.

