

# FABRICS GROUP 3




# VALENCIA - FABRIC "V"



VINYL / URETHANE TOPCOAT


GROUP  
3




107-2062 V15




107-2113 V11



107-8032 V20




107-4044 V21




107-0002 V12




107-2107 V13




107-4042 V18



107-2108 V19




107-0001 V17




107-9035 V10

ACTIU OFFERS THE POSSIBILITY OF REQUESTING FULL RANGE OF COLOURS OFFERED BY THE MANUFACTURER OF **GROUP V (VALENCIA) UNDER SPECIFIC CONDITIONS**. TO REQUEST A FINISHED NOT INCLUDED IN THE STANDARD ACTIU OFFER, **PLEASE CONTACT THE SALES DEPARTMENT**.



107-2110




107-2116



107-2117



107-2115




107-2109



107-2106




107-5056




107-9607




107-2114



107-2111




107-2119



107-2112




107-2118



107-7001



107-5041




107-4040




107-3069




107-1050



107-2002



107-6002



107-0033



107-1001



107-3067



107-6020




# VALENCIA - FABRIC "V"



VINYL / URETHANE TOPCOAT

GROUP  
3



107-4003



107-5069




107-1020



107-5056




107-2074




107-4002




107-3001



107-1049




107-4052



107-3068




107-6013



107-2001



107-4041



107-0020




107-5002



107-4001




107-6003



107-5001




107-6019




107-8020




107-4045



107-2021




107-4043



107-2075



107-6012



107-4020



107-1048




107-2020



107-9001



107-0034



107-0035



107-5057





## TECHNICAL SPECIFICATIONS GROUP V - VALENCIA

Material	Vinyl / Urethane Topcoat	100%
Soporte	Hi-Loft™	Specialty knitted textile manufactured with 100% polyester yarns aimed at creating a backing with bulk, strength, and unusual softness
Finishes and treatments	<b>PERMABLOK®</b> ADVANCED FOAM PROTECTION	<ul style="list-style-type: none"><li>· PERMABLOK®: Vinyl protective coating engineered to create a effective barrier for germs, abrasions and stains.</li><li>· Cold Crack -23°C</li><li>· Anti-stain Finish</li><li>· Sulfide Stain Resistant</li><li>· Mildew resistant backing and face</li><li>· Anti-static Finish</li><li>· UV-Resistance XENOTEST DIN 54004/ NTC 1479</li><li>· EN 71-3 Safety of Toys (Migration of certain elements)</li></ul>
Weight	lin. metre aprox. grams	650
Width	cm	137
Abrasion resistance	rubs - EN ISO 12947:1999-2 (Martindale)	300,000
Flame Retardancy	EU: EN 1021 Part 1 & 2 ES: UNE 23.727-90 1R/M.2 FR: NF P 92-503/M2 DE: DIN 4102 B2 IT: UNI 9175 (1987) / UNI 9175/FA1 (1994) Classe 1.IM (UNO I EMME) AT: ÖNORM B 3825, Gruppe 1 - Schwerbrennbares Verhalten AT: ÖNORM A 3800 Teil 1, Qualmbildungsklasse Q1 - schwachqualmend IMO FTP 2010 Code MSC.307 (88) Part 8 3.1 & 3.2 US: FMVSS 302 US: FAR 25/853 (MED) Marine Equipment Directive (in its current valid version) ECE R118.02 (replaces Directive 95/28/CE) Annexes 6, 7 & 8 EN 71-2:2006+A1:2007 - Safety of Toys - Parte 2: Flammability Will also pass other flammability standards. Flame retardant performance is dependent upon the foam used and fireproof treatment.	

Subject to changes and colour differences



ACTIU reserves the right to make technical modifications along with changes to measurements and finishes as it deems fit. It is recommended that you verify any material before making an order.

